












































PRODUCT RANGE



APPLICATION	SYMBOL	PRODUCT	BENEFITS
Bearings - Rolling Element Regular Load		CASSIDA GREASE RLS Series CASSIDA GREASE CLEAR 2	Multi-purpose for regularly loaded bearings Good adhesive properties and water resistance Clear grease with multi-purpose character for multiple applications
Bearings - Rolling Element Extreme Pressure	 	CASSIDA GREASE EPS Series CASSIDA GREASE GTS 2	Outstanding protection against wear and rust Calcium sulfonate complex multipurpose grease suitable for bearings under extreme conditions and/or high speed
Bearings - Rolling Element Heavy Duty	 	CASSIDA GREASE HDS 2 CASSIDA GREASE GTX 2	Protection for heavily loaded or slow moving bearings with excellent water resistance Calcium sulfonate complex grease for heavily loaded or slow moving bearings
Bearings - Rolling Element High Temperature	 	CASSIDA GREASE HTS 2 CASSIDA GREASE P 1	Operating temperature up to + 200°C (peak up to + 220°C)
Bearings - Rolling Element Extremely High Temperature	 	CASSIDA GREASE FC 1 · 2	Operating temperature up to + 300°C Excellent resistance against aggressive chemicals
Bearings - Rolling Element Low Temperature	 	CASSIDA GREASE LTS 1	Operating temperature down to - 50°C
Can Seamer Lubrication Systems and Gearboxes Can Seamer Lubrication System, Ferrum Can Seamer Lubrication Systems, Total Loss	 	CASSIDA FLUID GLE Series CASSIDA FLUID CR 100 <i>FM GEAR OIL TLS 150</i>	Keeps machine clean and protects against wear and corrosion Keeps machine clean and protects against wear and corrosion White mineral oil fluid for enhanced performance for total loss systems
Can Seamer Roll Head Bearings (grease lubricated)	 	CASSIDA GREASE RLS 1 CASSIDA GREASE GTX 2 · GTX 0	Protects against wear and corrosion Good resistance to water washout
Chains & Conveyors	  	CASSIDA CHAIN OIL Series CASSIDA CHAIN OIL LT CASSIDA CHAIN OIL SP CASSIDA CHAIN OIL HTE CASSIDA CHAIN OIL HTX	Outstanding adhesion to metal surfaces & excellent water resistance Operating temperature down to - 50°C Excellent penetrating properties High temperature chain oil for bakeries (up to + 240°C) Extreme temperature chain oil (up to + 300°C)
Compressors - Rotary Vane & Screw		CASSIDA FLUID CR Series	Longer oil change intervals with less wear; does not add odour to compressed air
Corrosion Prevention - Multiple Applications		CASSIDA FLUID CP	Excellent temporary corrosion protection for machinery parts and sub-assemblies
Direct Food Contact - Multiple Applications	 	CASSIDA FLUID DC Series <i>FM FLUID DC Series</i> <i>FM GREASE DC 2</i>	3H registered synthetic fluids for direct food contact applications. Use as absorber oil in edible oil production – improved hexane recovery 3H registered white mineral oil fluids for direct food contact applications 3H registered white mineral oil grease for direct food contact applications.
Gears - Enclosed Helical • Spur Bevel • Worm	 	CASSIDA FLUID GL Series CASSIDA FLUID WG Series CASSIDA GREASE EPS 00 CASSIDA GREASE GTX 0 <i>FM GEAR OIL Series</i>	Excellent load carrying properties for a wide range of applications Specialty worm gear oils, improved gear efficiency Excellent adhesive qualities – reduces leaks from gearbox Excellent adhesive and extreme pressure properties - reduces leaks from gearbox. Fit for purpose gear oils

APPLICATION	SYMBOL	PRODUCT	BENEFITS
Gears - Open		CASSIDA GREASE HDS 00	Excellent adhesion & water resistance
Heat Transfer		CASSIDA FLUID DC 32 <i>FM HEAT TRANSFER FLUID 32</i>	Good thermal stability, long fluid life Enhanced formulation. Excellent thermal stability, optimum fluid life
Hydraulics (including air line lubrication)		CASSIDA FLUID HF Series CASSIDA FLUID FL Series CASSIDA FLUID HFS Series <i>FM HYDRAULIC OIL Series</i>	Long oil life, excellent filterability giving a cleaner system & longer equipment life Fully compatible with existing system components – easy to change over Superior performance, excellent filterability giving a cleaner system & longer equipment life Fit for purpose hydraulic fluids
Industrial Coolant		<i>FM COOLANT</i>	Water extendable fluid with outstanding anti-corrosion properties
Maintenance Sprays: · General Purpose Penetrating Lubricant · Silicone Fluid · Multi Purpose Grease · PTFE Dry Film Multi-Purpose Lubricant · Corrosion Protection Fluid · Direct Food Contact Grease	  	CASSIDA FLUID FL 5 SPRAY CASSIDA SILICONE FLUID SPRAY CASSIDA GREASE GTS SPRAY CASSIDA PTFE DRY SPRAY CASSIDA FLUID CP SPRAY <i>FM GREASE DC SPRAY</i>	Facilitates the disassembling of seized surfaces, prevents further corrosion & seizing A quick dry spray to give 'dry film' lubrication on conveyor belts and light machinery Excellent lubrication properties and excellent corrosion protection A quick dry spray to provide 'dry PTFE film' lubrication Excellent temporary corrosion protection 3H registered white mineral oil grease for direct food contact applications.
Maintenance Aid		CASSIDA PASTE AP	Assembly paste – large range of applications, e.g. high-alloy steel screws to optimize tightening torque, mounting and pressing of bearings, disks, wheels and bolts.
Pellet Presses & Compactors - Animal Feed		CASSIDA GREASE GTX 2 <i>FM GREASE HD 2 · 1.5</i>	Synthetic Calcium sulfonate complex – Superior performance – enhanced bearing life Outstanding performance – enhanced bearing life
Refrigeration Compressors - Ammonia		CASSIDA FLUID RF Series	High performance fluid, compatible with ammonia and other commonly used refrigeration gases
Rotary Cookers and Sterilizers	 	CASSIDA GREASE GTX 2 <i>FM FLUID RC 150 · RC 220</i>	Calcium sulfonate complex grease for heavily loaded or slow moving bearings. Keeps parts clean and protects against wear and corrosion.
Slideways, Linkages & Pins		CASSIDA GREASE HDS 2 CASSIDA GREASE GTX 2	Protection for heavily loaded or slow moving bearings for long equipment life Calcium sulfonate complex grease – excellent corrosion protection
Sugar Dissolving		<i>FM SUGAR DISSOLVING FLUID</i>	Cleans off sticky deposits in sugar processing equipment and offers excellent corrosion protection. Lubricates lightly loaded bearings and slide-ways where sugar deposits are likely to form.
Vacuum Pumps		CASSIDA FLUID VP Series	Extended oil drain intervals, good low temperature characteristics, excellent anti-wear performance
Valves, Taps and Fittings		CASSIDA GREASE MD 2	Lubrication of all sorts of taps, flow meters and fittings with EPDM (ethylene-propylene-diene rubber) seals, used for the handling of water, drinks and beer, including drum filling inflow valves. Provides high resistance against chemicals.

CASSIDA food grade lubricants

NSF certified



Nonfood Compounds
Program Listed
ISO 21469 certified

Kosher certified



Halal certified



FUCHS LUBRITECH GmbH
FOOD DIVISION
Werner-Heisenberg-Straße 1
67661 Kaiserslautern / Germany
www.fuchs-lubritech.com

 A Member of the
FUCHS PETROLUB Group

 **CASSIDA**
food grade lubricants

Phone +49 (0) 6301 3206-0
Fax +49 (0) 6301 3206-940
E-Mail cassida.lubricants@fuchs-lubritech.de
www.cassida-lubricants.com